| 1.0 | Commercial Product Name and Supplier | | | |
|--------------|---|---|--|----------------------------------|
| 1.1 | Commercial product name / designation | TempCanal Enhanced | | |
| 1.2 1.2.2 | SIC 851 Hum | | aterial for use by dental professionals. an health activity | |
| 1.2.3 | Use Category | 55 | | |
| 1.3 | Manufacturer Pulpdent Corporation 80 Oakland Street, P.O. Box 780 Watertown, MA 02472 USA | | 617 926-6666 617 926-6262 nt@pulpdent.com | |
| 1.4 | Emergency Telephone Number 1-800-535-5053 (24 Hour / USA) | | | |
| 1.5 | Authorized European Representative | thorized European Representative Advena Limited Tower Business Centre, 2nd Floor, Tower Street, Swatar, BKR 4013 Malta | | |
| | UK Responsible Person | Advena Limite Pure Offices, I Warwick, CV3 | | |
| | CH Authorized Representative | MedEnvoy Sw Gotthardstrass | ritzerland se 28, 6302 Zug, Switzerlar | nd |
| 2.0 | Hazards Identification | | | |
| 2.1 | Classification | | | |
| 2.1.1 | Classification according to Regulation | Hazard Class | Hazard Category | Hazard Statement |
| | (EC) No. 1272/2008 [CLP] | Skin irritation Eye irritation | 2 2 | H315 H319 |
| 2.1.2 | Classification according to Directive 67/548/EEC | Irritant (Xi) | ; R 36/38 (See SECTION 16 | 6 for full text of risk phrases) |
| 2.1.3 | Classification according to WHMIS | D2: Irritant | | |
| 2.2 | GHS Label Elements Hazard Pictograms | | | |
| | Signal Word: WARNING Restricted to use by dental professional only. Hazard Statements H319: Eye irritation. 2. May cause eye irritation. H315: Skin irritation. 2. May cause skin irritation. Precautionary Statements P280: Wear protective gloves and eye protection P305+P351+P338: IF IN EYES: Rinse cautiously to do. Continue rinsing. If in eyes, rinse cautiously | | | lenses, if present and easy |

Revision Date: June 14, 2022

Safety Data Sheet

Trade Name: TempCanal Enhanced

P337+P313: If eye irritation persists, get medical advice/attention. P302+P352: If on skin, wash with plenty of soap and water.

| 3.0 | Composition | 1 | | | |
|-----|----------------------------------|--------------------------------|---|-------------------------------|---|
| 3.1 | Chemical cha | racterization of the preparati | on Calciu | ım hydroxide suspende | ed in a cellulose/water matrix. |
| 3.2 | Hazardous ingredients | | | | |
| | CAS Number | Name of the Ingredient | Concentration | Classification per 67/548/EEC | Classification per Regulation (EC) No.1272/2008 (CLP). |
| | 1305-62-0 | Calcium Hydroxide | 25% | Irritant (Xi) R 36 / 38 | Skin irritation; 2 Eye irritation; 2 |
| 4.0 | First Aid Mea | asures | | | |
| 4.1 | Special Instructions | | Show this safety data sheet to medical personnel. Get medical attention in case of uncertainty. This product presents minimal hazard in the quantity of material provided and typically used. Only with prolonged exposure is it irritating to mucous membranes, eyes, skin, gastrointestinal tract or respiratory tract. | | |
| 4.2 | Eye Contact | | Keep eyelids apart; flush with running water for 15+ minutes. Get medical attention for persistent irritation. | | |
| 4.3 | Skin Contact | | Remove any contaminated clothing. Wipe off excess from skin. Immediately flush skin water. Get medical attention if irritation persists. | | |
| 4.4 | Ingestion | | Rinse mouth with water. Do not induce vomiting. Give large amounts of water to dilute. Get immediate medical attention for ingestion of large amount. Never give anything by mouth to an unconscious person. | | |
| 4.5 | Inhalation | | Move to fresh air. Administer artificial respiration as needed; seek medical attention. | | |
| 4.6 | Precautions for first responders | | Wear safety glasses and gloves to prevent contact. | | |
| 4.7 | Information for | or physician | | | |
| | Symptoms | | Irritation, pain or re | edness in eyes, on skir | n, on mucous membranes. |
| | Hazards | | | | ntestinal tract or mucous membranes e is a risk of serious damage to eyes. |
| | Treatment | | Same as First Aid | above. | |
| 5.0 | Fire Fighting | Measures | | | |
| 5.1 | Suitable extin | guishing media | Not a fire hazar | d. Extinguish fire with a | agent suitable for surrounding fire. |
| 5.2 | Extinguishing | media to avoid | None | | |
| 5.3 | Special expos | sure hazards in a fire | None | | |
| 5.4 | Special prote | ctive equipment: fire-fighters | Self-contained I | oreathing apparatus | |
| 6.0 | Accidental R | Release Measures | | | |
| 6.1 | Personal pred | cautions. | Wear gloves, la | b coat and chemical s | plash goggles. |
| 6.2 | Environmenta | al precautions | None | | |
| 6.3 | Method for cle | ean up | | | Wash area of spill with water-saturate aterial and absorbent towels in containe |
| | | | | | |

| 7.0 | Handling and Storage | |
|---------|--|--|
| 7.1 | Handling | For use by dental professionals only. Wear gloves, safety glasses; wash hands after use. Avoid unnecessary exposure. Follow good hygiene practices Do not smoke, eat or drink. Wash hands after use. |
| 7.2 | Storage | Keep tightly capped in original container. Store at cool room temperature Avoid extremes of temperature (>27°C/80°F, <5°C/40°F) and acids. |
| 7.3 | Specific uses | Dental preparation used for cavity lining |
| 8.0 | Exposure Controls / Personal Protecti | on |
| 8.1 | Exposure limit values | Not applicable |
| 8.2 | Exposure controls | |
| 8.2.1 | Occupational exposure controls | Wear safety glasses, lab coat and gloves. No other equipment required unde normal conditions of use of this product in the quantity provided. |
| 8.2.1.1 | Respiratory protection | Good general ventilation is sufficient to control any airborne vapors. |
| 8.2.1.2 | Hand protection | No special requirements other than the usual surgical gloves. |
| 8.2.1.3 | Eye protection | No special requirements other than the usual safety glasses. |
| 8.2.1.4 | Skin protection | No special requirements. Good personal hygiene and safety practices and wearing a lab coat should protect dental staff from unnecessary exposure. |
| 8.2.1.5 | Other controls | Emergency eye wash fountain should be close by. Wash hands after use. |
| 8.2.2 | Environmental exposure controls | Avoid release into environment; calcium hydroxide may cause pH variation. |
| 9.0 | Physical and Chemical Properties | |
| 9.1 | Characteristics | |
| 9.1.1 | Appearance /Color / Physical state | Thin white paste |
| 9.1.2 | Odor | Mild, characteristic |
| 9.2 | Important health, safety and environmental information | |
| 9.2.1 | pH | pH > 12 |
| 9.2.2 | Boiling point | Decomposes |
| 9.2.3 | Flash point | Not combustible |
| 9.2.4 | Flammability (solid, gas) | Not combustible |
| 9.2.5 | Explosive properties | Not applicable |
| 9.2.6 | Oxidizing properties | Not determined |
| 9.2.7 | Vapor pressure | < 1 mm Hg (ld: A) |
| 9.2.8 | Specific gravity | 1.470 g/ml |
| 9.2.9 | Solubility in water | Slight |
| 9.2.10 | Partition coefficient | Not determined |
| 9.2.11 | Viscosity | Not determined |
| 9.2.12 | Vapor density | Not determined |
| 9.2.12 | vapor donoity | Not determined |

| 9.2.13 | Evaporation rate | Not determined | |
|--------|--|---|--|
| 10.0 | Stability and reactivity | | |
| 10.1 | Conditions to avoid | Extremes of temperature (>27°C/80°F, <5°C/40°F). | |
| 10.2 | Materials to avoid | Calcium hydroxide reacts violently with maleic anhydride, nitroethane, nitro-methane, nitro-paraffin, nitro-propane, phosphorus. As a strong alkali, it is incompatible with acids. | |
| 10.3 | Hazardous decomposition products | Caustic fumes of calcium oxide when heated to decomposition. | |
| 10.4 | Further information | Stable under normal conditions. | |
| 11.0 | Toxicological information | | |
| 11.1 | Acute toxicity | Not toxic. Minimal health hazard under normal conditions of use. | |
| 11.2 | Irritation and corrosiveness | Minimal health hazard under normal conditions of dental practice. Prolonged exposure may cause irritation of mucous membranes, eyes, skin, gastrointestinal tract or respiratory tract. | |
| 11.3 | Sensitization | Not applicable. | |
| 11.4 | Sub-acute, sub-chronic and prolonged toxicity | Narrowing of the esophagus may occur weeks to years after ingestion of large quantities, making swallowing difficult. Persons with preexisting skin conditions may be more susceptible to the irritating effects of calcium hydroxide | |
| 11.5 | Carcinogenicity, Mutagenicity, Reproductive Toxicity | Not considered a carcinogen, mutagen or teratogen. Not toxic to the reproductive system. | |
| 11.6 | Empirical data | Not available | |
| 11.7 | Clinical Experience | Pulpdent calcium hydroxide preparations have been used safely and effectively by dental professionals since 1947. | |
| 12.0 | Ecological Information | | |
| 12.1 | Ecotoxicity | Not considered detrimental to water or soil. Avoid release into environment as calcium hydroxide may cause pH variation. Follow government regulations. | |
| 13.0 | Disposal Considerations | | |
| 13.1 | Regulations | Follow all local and national government regulations in disposing material or contaminated packaging. | |
| 14.0 | Transport Information | | |
| 14.1 | Restrictions | None. Not regulated. | |
| 14.2 | UN Number | None | |
| 14.3 | Technical name | Not applicable | |
| 14.4 | Packing group | Not applicable | |
| 14.5 | IATA class | Not applicable | |

| 15.0 | Regulatory Information | |
|------|---|--|
| 15.1 | EU Regulations | Class IIa medical device under MDD 93/42/EEC. |
| 15.2 | US FDA | Class II medical device |
| 15.3 | Health Canada | Class III medical device |
| 16.0 | Other information | |
| 16.1 | List of relevant R phrases | R36/38: Irritating to eyes and skin. |
| 16.2 | Hazard Statements | H319: Eye irritation. 2. May cause eye irritation. H315: Skin irritation. 2. May cause skin irritation. |
| 16.3 | Precautionary Statements | P280: Wear protective gloves and eye protection P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If in eyes, rinse cautiously with water for several minutes. P337+P313: If eye irritation persists, get medical advice/attention. P302+P352: IF ON SKIN, wash with plenty of soap and water. |
| 16.4 | Restrictions on use | TempCanal Enhanced is to be sold to and used by dental professionals only. |
| 16.5 | Further information | The information presented herein is believed to be factual as it has been derived from the works of persons believed to be qualified experts. However, nothing contained in this information is to be taken as a warranty or representation for which Pulpdent Corporation bears legal responsibility. The user should review any recommendations in the specific context of the intended use to determine whether they are appropriate. |
| 16.6 | Sources of key data | National Institute for Occupational Safety (NIOSH) Occupational Safety and Health Administration (OSHA) Eur-Lex European Union Law: Regulation (EC) No. 1272/2008 (CLP) and Regulation (EC) No. 1907/2006 (REACH). Guidance on the compilation of safety data sheets. Version 1.1; December 2011. European Chemicals Agency |
| 16.7 | Information which has been added, deleted or revised. | This Safety Data Sheet has been revised to meet the requirements of the GHS SDS format, Regulations (EC) No. 1272/2008 (CLP) and (EC) No. 1907/2006 (REACH). Specifically, Sections 2.1, 2.2, 3.2, 16.2, 16.3 have been modified. |